

# A practical BWR plywood for moisture-prone interior applications.

IMPLY Plus (BWR) plywood is specified for practical interiors where construction, manufacturing process, and application suitability need to be clear before selection.

<b>Standard commercial tolerance</b> Calibration	<b>Traditional Pressed Construction</b> Manufacturing	<b>20-Year</b> Limited Warranty
---	--	------------------------------------

## Technical Specifications

Sub Title	Plus (BWR)
Face Material	Gurjan
Core	Neem
Manufacturing Process	Traditional Pressed Construction
Calibrated	No
Grade	BWR
Available Thickness	6 mm / 9 mm / 12 mm / 16 mm / 19 mm
Available Sizes	8/4, 7/4
Density (Avg.) *	650-750 kg/m <sup>3</sup>
Moisture Content *	8-12%
Screw Holding Strength *	> 1100 N

## Performance Advantages

<b>BWR Moisture Resistance</b>	A practical choice for interior applications that need dependable water resistance in kitchens, utilities, and commercial spaces.
<b>Gurjan Face Finish</b>	The Gurjan face gives the panel a confident working surface for furniture, counters, and site-built interiors.
<b>Everyday Site Practicality</b>	Neem core construction keeps the board suitable for regular carpentry while adding BWR grade confidence.

## Testing & Construction Parameters

BWR / BWP Resistance *	As applicable by product grade and final lab confirmation
Glue Type (MR)	Urea Formaldehyde
Glue Type (BWR/BWP)	Phenol Formaldehyde
Termite Treatment	Chemical Dip Treated
Thickness Variants	6 mm / 9 mm / 12 mm / 16 mm / 19 mm
Ply Construction Matrix *	6mm: 5 Plies 9mm: 7 Plies 12mm: 9 Plies 16mm: 11 Plies 19mm: 13 Plies

## Recommended Applications

Furniture carcasses
Wall backing
Storage units
Partitions
Counters
Commercial interiors

## Warranty Summary

IMPLY offers a 20-Year Limited Warranty against termite, borer attack and manufacturing defects, subject to recommended storage, installation and usage conditions.

Architect & Dealer Support - Karnataka, Andhra Pradesh, Telangana, Goa & Tamil Nadu

info@imply.co.in | www.imply.co.in

\*Marked values are indicative placeholders pending final lab confirmation.